FIBERSCOPE TRACHEAL

MANUFACTURER: OLYMPUS AMERICA Manufacturer Model# LF-GP-R

Manufacturer's PHONE: (484) 896-5000 FAX: (484) 896-7164

Manufacturer's Website: http://www.olympusamerica.com

Item Web Link:

<u>http://www.olympusamerica.com/msg</u> section/msg endoscopy laryngoscopes.asp

AAC 'L' ITEM NSN 6515-01-571-7290

UAs: P301, P307

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$8,065.17

System Description: The LF-GP is a complete, all-in-one, portable solution for emergency, bedside, operating room, and ICU tracheal intubations. Compatible with single-lumen endotracheal tubes with an internal diameter as small as 5 mm, as well as double-lumen tubes 37 Fr or greater, the LF-GP is the most versatile scope of the PortaView-LF series. The scope's superb optics and integrated miniature light source result in bright, high-resolution images for observation. In addition, the LF-GP offers an expanded view-field size -- 2.2x larger than our LF-2 Scope -- for even greater image detail.

Features:

- Integrated miniature light source for portability
- 4.1 mm insertion tube outer diameter allows for easier insertion
- 1.5 mm channel provides for increased suction capability
- Olympus optical technology produces high-quality images for observation
- Extended battery life
- Waterproof for thorough reprocessing
- Compatible with conventional light sources and video systems for versatility



FIBERSCOPE TRACHEAL PART # LF-GP-R NSN 6515015717290



RECHARGEABLE MINIATURE LIGHT SOURCE PART # MAJ-922



RECHARGEABLE LITHIUM BATTERIES PART # B-01E NiMH



BATTERY CHARGER WITH FOUR NIMH RECHARGEABLE BATTERIES PART # 200899

FIBERSCOPE TRACHEAL PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

	T	1.
Item Dimensions	Height (Inches)	0
	Width (Inches)	0
	Length (Inches)	0
	Cube (Cubic Feet)	0
	Weight	
Ship Dimensions	Height (Inches)	6
	Width (Inches)	18
	Length (Inches)	24
	Cube (Cubic Feet)	1.5
	Weight	
Storage Temp		
Operating Temp		
Storage Humidity		
Operating Humidity		
Amps		
Watts		5
Power Requirements	100/240 VAC, 50-60 Hz Batteries	for Battery Charger; uses 4 Rechargeable Nickel-Metal Hydride
Notes		

FIBERSCOPE TRACHEAL ACCESSORIES & CONSUMABLES - STARTUP

NSN	Notes	Nomenclature	MFR PN Olympus America	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
		Fiberscope Tracheal	LF-GP-R		1	EA	\$8,065.17	\$8,065.17	N/A
	Awaiting NSN	Battery Charger with Four NiMH Rechargeable Batteries	200899		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
	Awaiting NSN	Case w/Insert	Portaview		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
	Awaiting NSN	Suction Valve	MD-493		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
	Awaiting NSN	Suction Valve Holder	MD-051		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515014791043		Cap ETO	MB-156		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515015244583		Biopsy Valve, Single Use	MAJ-210		1	20/PG	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515015286158		Channel Opening Cleaning Brush	MH-507		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515015736056		Lamp Halogen Fiberscope	MAJ-922		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515015736056		Lamp Halogen Fiberscope 4.8 Volts 2.4 Watts	MAJ-927		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515016070959		Brush Cleaning Endoscope	BW-7B		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515016070963		Brush Cleaning Endoscope Suction Connector Coil Sheath	BW-15SH		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
6515016070969		Adapter Light Guide	MAJ-1413		1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
NSN Not Required		Literature, Light Source			1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
NSN Not Required		Literature, Operating Instructions			1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A
NSN Not Required		Literature, Reprocessing Manual			1	EA	Incl w/NSN 7290	Incl w/NSN 7290	N/A

FIBERSCOPE TRACHEAL WEB LINKS

Click Below for Equipment Support Plans. Note: Only available to personnel who reside in a Military (.mil) domain. Please select the plans you wish to receive and enter your email address. Support Plans include 10/20 Standards, maintenance intervals, Maintenance Allowance Chart, and more.

http://www.usamma.army.mil/assets/apps/email_doc/email_doc_index.cfm